

COLORI / COLORS



Scarichi laterali
 H35 - scarico Ø 40
 H50 - scarico Ø 40 - 50



Scarichi inferiori
 Ø 40 - 50 - 63 - 75 - 80

CANALETTA "COMPACT"

Prodotta da GRUPPO STAMPLAST è ideale come sistema di drenaggio delle acque semplice ed efficace. Può essere impiegata su solai di ridotto spessore (es. terrazze) per la sua altezza contenuta.

Materiale: Polipropilene Copolimero caricato con anti UV.

CHANNEL DRAIN "COMPACT"

Manufactured by GRUPPO STAMPLAST it is ideal as a simple and effective water drainage system.


It can be used on floors of reduced thickness (es. terraces) for its low height.

Material: Stabilized Polypropylene Copolymer with anti UV.

DOP www.gruppostamplast.it

DICHIARAZIONE DI PRESTAZIONE
 DECLARATION OF PERFORMANCE

44



CE
 0407
 EN 1433

SCHEDA ORDINE PRODOTTO / PRODUCT ORDER DATA SHEET


CCD	MOD.*					
CN10-01	10x100 h3,5	●	1	450	100x120x245	0,648 kg/pz
CN10-02	10x100 h5	●	1	350	100x120x245	0,700 kg/pz
CN10-01A	10x100 h3,5	●	1	450	100x120x245	0,648 kg/pz
CN10-02A	10x100 h,5	●	1	350	100x120x245	0,700 kg/pz
TP10-01	Tappo 10x100 H3,5	●	200	25600	100x120x220	0,025 kg/pz
TP10-02	Tappo 10x100 H5	●	150	19200	100x120x220	0,025 kg/pz
TP10-03	Tappo 10x100 H3,5	●	200	25600	100x120x220	0,025 kg/pz
TP10-04	Tappo 10x100 H5	●	150	19200	100x120x220	0,025 kg/pz


*MEASURES IN CENTIMETERS

SCHEDA TECNICA PRODOTTO / TECHNICAL SHEET

MOD.*	A*	B**	C*	H*	Classe di carico / Load class
10x100 h3,5	100	--	11	5,7	A15
10x100 h5	100	--	11	7,2	A15
Tappo 10x100 h3,5	11	40	--	5,4	--
Tappo 10x100 h5	11	40 - 50	--	6,9	--

*MEASURES IN CENTIMETERS **MEASURES IN MILLIMETERS





SCHEDA ORDINE PRODOTTO / PRODUCT ORDER DATA SHEET


CCD	MOD.*					
FERMO10-01	Fermo		50	--	--	0,010 kg/pz
GC10X100-01	Griglia Zincata 10x100		1	1100	100x120x105	0,695 kg/pz
GC10X100-01A	Griglia Inox 10x100		1	1100	100x120x105	0,840 kg/pz
GC10X100-02	Griglia PP 10x100		1	1012	100x120x125	0,489 kg/pz
GC10X100-03	Griglia PP 10x100		1	1012	100x120x125	0,489 kg/pz

*MEASURES IN CENTIMETERS


SCHEDA TECNICA PRODOTTO / TECHNICAL SHEET

MOD.*	A*	B*	H*	Classe di carico / Load class
Fermo	10,8	1,4	2,1	--
Griglia Zincata 10x100	100	10,2	1,3	A15**
Griglia Inox 10x100	100	10,2	1,3	A15**
Griglia PP 10x100	100	10,2	1,2	A15


*MEASURES IN CENTIMETERS **ONLY FOR 12/10 THICKNESS



COLORI / COLORS



Posizionamento del fermo



Sistema autobloccante della griglia



Lato inferiore griglia in polipropilene

GRIGLIA + ACCESSORI CANALETTA "COMPACT"

Prodotti da GRUPPO STAMPLAST. La griglia in PP ha un design innovativo simile alla griglia zincata e combina una buona resistenza ad un peso ridotto.

Materiale:

- Fermo FERMO10-01 in ABS.
- Griglia GC10X100-01 in acciaio zincato.
- Griglia GC10X100-01A in acciaio Inox AISI 304.
- Griglia GC10X100-02 e GC10X100-03 in Polipropilene Copolimero caricato con anti UV.

GRATING + ACCESSORIES FOR CHANNEL DRAIN "COMPACT"

Manufactured by GRUPPO STAMPLAST the PP grating features a modern and functional design like the galvanized grating combining good strength with low weight.

Materiale:

- ABS locking component FERMO10-01.
- Galvanized steel grating GC10X100-01.
- Stainless steel AISI 304 grating GC10X100-01A.
- UV stabilized polypropylene copolymer grating GC10X100-02 and GC10X100-03.

DOP www.gruppostamplast.it

**DICHIARAZIONE DI PRESTAZIONE
DECLARATION OF PERFORMANCE**

